

INDEX OF VOLUME 48

Part 1 – Subject index

3D measurement of electrode contact area in resistance spot welding of coated steel - Polajnar I., Bračun D., Podržaj P., Diaci J. (Slovenia) - IIW-1650-04 (ex-doc. III-1310-04) - (N° 11/12, November-December).

A mathematical model of short-circuiting transfer in the high-speed oscillating MAG process - Development of automatic MAG welding machine with arc sensor and its application to field welding of gas pipelines - Kodama S., Ichiyama Y., Ikuno Y., Baba N. (Japan) - IIW-1622-03 (ex-doc. XI-775-03/XII-1758-03) - (N° 7/8, July-August).

A robust K estimation scheme using mesh-insensitive structural stresses - Dong P., Hong J.K., Cao Z. (USA) - IIW-1644-03 (ex-doc. X-1548-03) - (N° 5/6, May-June).

An investigation on the influence of root defects on the fatigue life of the welded structure of a large two-stroke diesel engine - Hansen A.V., Olesen J.F., Agerskov H. (Denmark) - IIW-1645-03 (ex-doc. XIII-1917-02) - (N° 5/6, May-June).

Analysis of the FSW force footprint and its relationship with process parameters to optimise weld performance and tool design - Hattingh D.G., van Niekerk T.I., Blignault C., Kruger G. (South Africa), James M.N. (United Kingdom) - INVITED-2004-01 - (N° 1/2, January-February).

Analytical study on deformation and strength in HAZ-softened welded joints of fine-grained steels - Mochizuki M., Shintomi T., Hashimoto Y., Toyoda M. (Japan) - IIW-1573-02 (ex-doc. X-1503-02) - (N° 9/10, September-October).

Comparison of preheat predictive methods - Yurioka N. (Japan) - IIW-1642-03 (ex-doc. IX-2057-03) - (N° 1/2, January-February).

Determination of fatigue crack initiation and crack propagation at spot welded joints with high-precision thermometry - Xu P. (Germany) - IIW-1649-04 (ex-doc. III-1292-04) - (N° 11/12, November-December).

Development of automatic GTAW technology using visual sensor in narrow gap all position - Kamo K., Ishide T., Fujita K., Kadowaki H. (Japan) - IIW-1624-03 (ex-doc. XI-781-03/XII-1760-03) - (N° 9/10, September-October).

Diffusible hydrogen content in rutile flux-cored arc welds as a function of the welding parameters - Pitrun M., Nolan D., Dunne D. (Australia) - IIW-1615-03 (ex-doc. IX-2064-03) - (N° 1/2, January-February).

Diffusible hydrogen testing in Australia - Pitrun M., Nolan D. (Australia) - IIW-1616-03 (ex-doc. IX-2065-03) - (N° 1/2, January-February).

Effect of strength mismatch on ductile crack initiation behaviour from notch root - An G.-B., Ohata M., Toyoda M. (Japan) - IIW-1663-04 (ex-doc. X-1554-04) - (N° 11/12, November-December).

Fatigue strength of a longitudinal attachment improved by ultrasonic impact treatment - Lihavainen V.M., Marquis G. (Finland), Statnikov E.S. (USA) - IIW-1631-03 (ex-doc. XIII-1990-03) - (N° 5/6, May-June).

Fatigue strength of CP grade 2 titanium fillet welded joint for ship structure - Iwata T., Matsuoka K. (Japan) - IIW-1627-03 (ex-doc. XIII-1963-03) - (N° 7/8, July-August).

Fracture assessment of welded aerospace aluminium alloys using SINTAP route - Seib E., Koçak M., Assler H. (Germany) - IIW-1661-04 (ex-doc. X-1561-04) - (N° 11/12, November-December).

Fracture mechanics treatment of residual stresses in defect assessment - Dong P., Hong J.K. (USA) - IIW-1643-03 (ex-doc. X-1547-03) - (N° 5/6, May-June).

IIW Guidance on fatigue testing of large-scale welded components - Commission XIII, Petershagen H. (Germany) - IIW-1557-01 (ex-doc. XIII-1871-01) - (N° 9/10, September-October).

Improvement of fatigue life of welded structural components of a large two-stroke diesel engine by grinding - Agerskov H., Hansen A.V., Bjørnbak-Hansen J., Olesen J.F. (Denmark) - IIW-1629-03 (ex-doc. XIII-1966-03) - (N° 5/6, May-June).

Laser beam welded cooling structure components made of martensitic high-temperature steels - Dilthey U., Brandenburg A., Piontek D. (Germany) - IIW-1611-03 (ex-doc. IV-849-03) - (N° 3/4, March-April).

Laser cutting of birch pulp - Hovikorpi J., Laakso P., Salminen A., Miikki N., Kujanpää V. (Finland) - IIW-1641-01 (ex-doc. I-1139-03) - (N° 3/4, March-April).

Magnetic pulse welding aluminium tubes to steel bars - Kimchi M., Shao H., Cheng W., Krishnaswamy P. (USA) - IIW-1636-03 (ex-doc. III-1246-03) - (N° 3/4, March-April).

MIG brazing as a means of fatigue life improvement - Lepistö J.S., Marquis G.B. (Finland) - IIW-1648-04 (ex-doc. XIII-2013-04) - (N° 9/10, September-October).

MIG welding of magnesium alloys - Metallographic aspects - Rethmeier M., Kleinpeter B., Wohlfahrt H. (Germany) - IIW-1619-03 (ex-doc. IX-2083-03) - (N° 3/4, March-April).

Modelling and development of the Trivex™ friction stir welding tool - Colegrove P.A. (United Kingdom) - 2004 Henri Granjon prize, category A - IIW-1647-04 (ex-doc. III-1289-04) - (N° 7/8, July-August).

Optimum design and cost calculation of a simple frame with welded or bolted corner joints - Jármai K., Farkas J. (Hungary), Uys P. (South Africa) - IIW-1633-03 (ex-doc. XV-1145-03) - (N° 1/2, January-February).

Optimum design of a belt-conveyor bridge constructed as a welded ring-stiffened cylindrical shell - Farkas J., Jármai K., Virág Z. (Hungary) - IIW-1632-03 (ex-doc. XV-1144-03) - (N° 1/2, January-February).

Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - Kobayashi K., Nishimura Y., Lijima T., Ushio M., Tanaka M., Shimamura J., Ueno Y., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - (N° 7/8, July-August).

Prediction of hardness of spot welds in steels - Svensson L.E. (Sweden) - IIW-1657-04 (ex-doc. III-1313-04) - (N° 11/12, November-December).

Prediction of tensile-shear strength of spot welds based on fracture modes - Satonaka S., Kaieda K., Okamoto S. (Japan) - IIW-1599-03 (ex-doc. III-1244-03) - (N° 5/6, May-June).

Prevention of weld metal hydrogen cracking in high-strength multipass welds - Nevasmaa P. (Finland) - 2004 Henri Granjon prize, category B - IIW-1617-03 (ex-doc. IX-2066-03) - (N° 5/6, May-June).

Process adjustments to improve fracture behaviour in resistance spot welds of EHSS and UHSS - Mimer M.,

Svensson L.E., Johansson R. (Sweden) - IIW-1598-03 (ex-doc. III-1239-03) - (N° 3/4, March-April).

Properties of frictionally coated layer on engine bore - Shinoda T., Murakami H., Nanbu K., Takegami H. (Japan) - IIW-1654-04 (ex-doc. III-1304-04) - (N° 11/12, November-December).

The influence of ultrasonic impact treatment on fatigue behaviour of welded joints in high-strength steel - Galtier A. (France), Statnikov E.S. (USA/Russia) - IIW-1630-03 (ex-doc. XIII-1976-03) - (N° 5/6, May-June).

The master S-N curve approach to fatigue of piping and vessel welds - Dong P., Hong J.K. (USA) - IIW-1623-03 (ex-doc. XI-777-03) - (N° 1/2, January-February).

Ultrasonic peening and low transformation temperature electrode used for improving the fatigue strength of welded joints - Lixing H., Dongpo W., Wenxian W., Yufeng Z. (P.R. China) - IIW-1561-01 (ex-doc. XIII-1894-01) - (N° 3/4, March-April).

Part 2 – Author index

Agerskov H., Hansen A.V., Bjørnbak-Hansen J., Olesen J.F. (Denmark) - IIW-1629-03 (ex-doc. XIII-1966-03) - Improvement of fatigue life of welded structural components of a large two-stroke diesel engine by grinding - (N° 5/6, May-June).

Agerskov H., Hansen A.V., Olesen J.F. (Denmark) - IIW-1645-03 (ex-doc. XIII-1917-02) - An investigation on the influence of root defects on the fatigue life of the welded structure of a large two-stroke diesel engine - (N° 5/6, May-June).

An G.B., Ohata M., Toyoda M. (Japan) - IIW-1663-04 (ex-doc. X-1554-04) - Effect of strength mismatch on ductile crack initiation behaviour from notch root - (N° 11/12, November-December).

Assler H., Seib E., Koçak M. (Germany) - IIW-1661-04 (ex-doc. X-1561-04) - Fracture assessment of welded aerospace aluminium alloys using SINTAP route - (N° 11/12, November-December).

Baba N., Kodama S., Ichiyama Y., Ikuno Y. (Japan) - IIW-1622-03 (ex-doc. XI-775-03/XII-1758-03) - A mathematical model of short-circuiting transfer in the high-speed oscillating MAG process - Development of automatic MAG welding machine with arc sensor and its application to field welding of gas pipelines - (N° 7/8, July-August).

Bjørnbak-Hansen J., Agerskov H., Hansen A.V., Olesen J.F. (Denmark) - IIW-1629-03 (ex-doc. XIII-1966-03) - Improvement of fatigue life of welded structural components of a large two-stroke diesel engine by grinding - (N° 5/6, May-June).

Blignault C., Hattingh D.G., van Niekerk T.I., Kruger G. (South Africa), James M.N. (United Kingdom) - INVITED-2004-01 - Analysis of the FSW force footprint and its relationship with process parameters to optimise weld

performance and tool design - (N° 1/2, January-February).

Bračun D., Polajnar I., Podržaj P., Diaci J. (Slovenia) - IIW-1650-04 (ex-doc. III-1310-04) - 3D measurement of electrode contact area in resistance spot welding of coated steel - (N° 11/12, November-December).

Brandenburg A., Dilthey U., Piontek D. (Germany) - IIW-1611-03 (ex-doc. IV-849-03) - Laser beam welded cooling structure components made of martensitic high-temperature steels - (N° 3/4, March-April).

Cao Z., Dong P., Hong J.K. (USA) - IIW-1644-03 (ex-doc. X-1548-03) - A robust K estimation scheme using mesh-insensitive structural stresses - (N° 5/6, May-June).

Cheng W., Kimchi M., Shao H., Krishnaswamy P. (USA) - IIW-1636-03 (ex-doc. III-1246-03) - Magnetic pulse welding aluminium tubes to steel bars - (N° 3/4, March-April).

Colegrove P.A. (United Kingdom) - 2004 Henri Granjon prize, category A - IIW-1647-04 (ex-doc. III-1289-04) - Modelling and development of the Trivex™ friction stir welding tool - (N° 7/8, July-August).

Commission XIII, Petershagen H. (Germany) - IIW-1557-01 (ex-doc. XIII-1871-01) - IIW Guidance on fatigue testing of large-scale welded components - (N° 9/10, September-October).

Dilthey U., Brandenburg A., Piontek D. (Germany) - IIW-1611-03 (ex-doc. IV-849-03) - Laser beam welded cooling structure components made of martensitic high-temperature steels - (N° 3/4, March-April).

Dong P., Hong J.K. (USA) - IIW-1623-03 (ex-doc. XI-777-03) - The master S-N curve approach to fatigue of piping and vessel welds - (N° 1/2, January-February).

- Dong P., Hong J.K. (USA) - IIW-1643-03 (ex-doc. X-1547-03) - Fracture mechanics treatment of residual stresses in defect assessment - (N° 5/6, May-June.)
- Dong P., Hong J.K., Cao Z. (USA) - IIW-1644-03 (ex-doc. X-1548-03) - A robust K estimation scheme using mesh-insensitive structural stresses - (N° 5/6, May-June).
- Dongpo W., Lixing H., Wenxian W., Yufeng Z. (P.R. China) - IIW-1561-01 (ex-doc. XIII-1894-01) - Ultrasonic peening and low transformation temperature electrode used for improving the fatigue strength of welded joints - (N° 3/4, March-April).
- Dunne D., Pitrun M., Nolan D. (Australia) - IIW-1615-03 (ex-doc. IX-2064-03) - Diffusible hydrogen content in rutile flux-cored arc welds as a function of the welding parameters - (N° 1/2, January-February).
- Farkas J., Jármai K., Virág Z. (Hungary) - IIW-1632-03 (ex-doc. XV-1144-03) - Optimum design of a belt-conveyor bridge constructed as a welded ring-stiffened cylindrical shell - (N° 1/2, January-February).
- Fujita K., Kamo K., Ishide T., Kadowaki H. (Japan) - IIW-1624-03 (ex-doc. XI-781-03/XII-1760-03) - Development of automatic GTAW technology using visual sensor in narrow gap all position - (N° 9/10, September-October).
- Galtier A. (France), Statnikov E.S. (USA/Russia) - IIW-1630-03 (ex-doc. XIII-1976-03) - The influence of ultrasonic impact treatment on fatigue behaviour of welded joints in high-strength steel - (N° 5/6, May-June).
- Hansen A.V., Agerskov H., Bjørnbak-Hansen J., Olesen J.F. (Denmark) - IIW-1629-03 (ex-doc. XIII-1966-03) - Improvement of fatigue life of welded structural components of a large two-stroke diesel engine by grinding - (N° 5/6, May-June).
- Hansen A.V., Olesen J.F., Agerskov H. (Denmark) - IIW-1645-03 (ex-doc. XIII-1917-02) - An investigation on the influence of root defects on the fatigue life of the welded structure of a large two-stroke diesel engine - (N° 5/6, May-June).
- Hashimoto Y., Mochizuki M., Shintomi T., Toyoda M. (Japan) - IIW-1573-02 (ex-doc. X-1503-02) - Analytical study on deformation and strength in HAZ-softened welded joints of fine-grained steels - (N° 9/10, September-October).
- Hattingh D.G., van Niekerk T.I., Blignault C., Kruger G. (South Africa), James M.N. (United Kingdom) - INVITED-2004-01 - Analysis of the FSW force footprint and its relationship with process parameters to optimise weld performance and tool design - (N° 1/2, January-February).
- Hong J.K., Dong P. (USA) - IIW-1623-03 (ex-doc. XI-777-03) - The master S-N curve approach to fatigue of piping and vessel welds - (N° 1/2, January-February).
- Hong J.K., Dong P. (USA) - IIW-1643-03 (ex-doc. X-1547-03) - Fracture mechanics treatment of residual stresses in defect assessment - (N° 5/6, May-June).
- Hong J.K., Dong P., Cao Z. (USA) - IIW-1644-03 (ex-doc. X-1548-03) - A robust K estimation scheme using mesh-insensitive structural stresses - (N° 5/6, May-June).
- Hovikorpi J., Laakso P., Salminen A., Miikki N., Kujanpää V. (Finland) - IIW-1641-01 (ex-doc. I-1139-03) - Laser cutting of birch pulp - (N° 3/4, March-April).
- Ichiyama Y., Kodama S., Ikuno Y., Baba N. (Japan) - IIW-1622-03 (ex-doc. XI-775-03/XII-1758-03) - A mathematical model of short-circuiting transfer in the high-speed oscillating MAG process - Development of automatic MAG welding machine with arc sensor and its application to field welding of gas pipelines - (N° 7/8, July-August).
- Iijima T., Kobayashi K., Nishimura Y., Ushio M., Tanaka M., Shimamura J., Ueno Y., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).
- Ikuno Y., Kodama S., Ichiyama Y., Baba N. (Japan) - IIW-1622-03 (ex-doc. XI-775-03/XII-1758-03) - A mathematical model of short-circuiting transfer in the high-speed oscillating MAG process - Development of automatic MAG welding machine with arc sensor and its application to field welding of gas pipelines - (N° 7/8, July-August).
- Ishide T., Kamo K., Fujita K., Kadowaki H. (Japan) - IIW-1624-03 (ex-doc. XI-781-03/XII-1760-03) - Development of automatic GTAW technology using visual sensor in narrow gap all position - (N° 9/10, September-October).
- Iwata T., Matsuoka K. (Japan) - IIW-1627-03 (ex-doc. XIII-1963-03) - Fatigue strength of CP grade 2 titanium fillet welded joint for ship structure - (N° 7/8, July-August).
- James M.N. (United Kingdom), Hattingh D.G., van Niekerk T.I., Blignault C., Kruger G. (South Africa) - INVITED-2004-01 - Analysis of the FSW force footprint and its relationship with process parameters to optimise weld performance and tool design - (N° 1/2, January-February).
- Jármai K., Farkas J. (Hungary), Uys P. (South Africa) - IIW-1633-03 (ex-doc. XV-1145-03) - Optimum design and cost calculation of a simple frame with welded or bolted corner joints - (N° 1/2, January/ February).
- Jármai K., Farkas J., Virág Z. (Hungary) - IIW-1632-03 (ex-doc. XV-1144-03) - Optimum design of a belt-conveyor bridge constructed as a welded ring-stiffened cylindrical shell - (N° 1/2, January-February).
- Kadowaki H., Kamo K., Ishide T., Fujita K. (Japan) - IIW-1624-03 (ex-doc. XI-781-03/XII-1760-03) - Development of automatic GTAW technology using visual sensor in narrow gap all position - (N° 9/10, September-October).
- Kaieda K., Satonaka S., Okamoto S. (Japan) - IIW-1599-03 (ex-doc. III-1244-03) - Prediction of tensile-shear strength of spot welds based on fracture modes - (N° 5/6, May-June).
- Kamo K., Ishide T., Fujita K., Kadowaki H. (Japan) - IIW-1624-03 (ex-doc. XI-781-03/XII-1760-03) - Development of automatic GTAW technology using visual sensor in narrow gap all position - (N° 9/10, September-October).

- Kimchi M., Shao H., Cheng W., Krishnaswamy P. (USA) - IIW-1636-03 (ex-doc. III-1246-03) - Magnetic pulse welding aluminium tubes to steel bars - (N° 3/4, March-April).
- Kleinpeter B., Rethmeier M., Wohlfahrt H. (Germany) - IIW-1619-03 (ex-doc. IX-2083-03) - MIG welding of magnesium alloys - Metallographic aspects - (N° 3/4, March-April).
- Kobayashi K., Nishimura Y., Iijima T., Ushio M., Tanaka M., Shimamura J., Ueno Y., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).
- Koçak M., Seib E., Assler H. (Germany) - IIW-1661-04 (ex-doc. X-1561-04) - Fracture assessment of welded aerospace aluminium alloys using SINTAP route - (N° 11/12, November-December).
- Kodama S., Ichiyama Y., Ikuno Y., Baba N. (Japan) - IIW-1622-03 (ex-doc. XI-775-03/XII-1758-03) - A mathematical model of short-circuiting transfer in the high-speed oscillating MAG process - Development of automatic MAG welding machine with arc sensor and its application to field welding of gas pipelines - (N° 7/8, July-August).
- Krishnaswamy P., Kimchi M., Shao H., Cheng W. (USA) - IIW-1636-03 (ex-doc. III-1246-03) - Magnetic pulse welding aluminium tubes to steel bars - (N° 3/4, March-April).
- Kruger G., Hattingh D.G., van Niekerk T.I., Blignault C., (South Africa), James M.N. (United Kingdom) - INVITED-2004-01 - Analysis of the FSW force footprint and its relationship with process parameters to optimise weld performance and tool design - (N° 1/2, January-February).
- Kujanpää V., Miikki N., Hovikorpi J., Laakso P., Salminen A. (Finland) - IIW-1641-01 (ex-doc. I-1139-03) - Laser cutting of birch pulp - (N° 3/4, March-April).
- Laakso P., Hovikorpi J., Salminen A., Miikki N., Kujanpää V. (Finland) - IIW-1641-01 (ex-doc. I-1139-03) - Laser cutting of birch pulp - (N° 3/4, March-April).
- Lepistö J.S., Marquis G.B. (Finland) - IIW-1648-04 (ex-doc. XIII-2013-04) - MIG brazing as a means of fatigue life improvement - (N° 9/10, September-October).
- Lihavainen V.M., Marquis G. (Finland), Statnikov E.S. (USA) - IIW-1631-03 (ex-doc. XIII-1990-03) - Fatigue strength of a longitudinal attachment improved by ultrasonic impact treatment - (N° 5/6, May-June).
- Lixing H., Dongpo W., Wenxian W., Yufeng Z. (P.R. China) - IIW-1561-01 (ex-doc. XIII-1894-01) - Ultrasonic peening and low transformation temperature electrode used for improving the fatigue strength of welded joints - (N° 3/4, March-April).
- Marquis G., Lihavainen V.M. (Finland), Statnikov E.S. (USA) - IIW-1631-03 (ex-doc. XIII-1990-03) - Fatigue strength of a longitudinal attachment improved by ultrasonic impact treatment - (N° 5/6, May-June).
- Marquis G.B., Lepistö J.S. (Finland) - IIW-1648-04 (ex-doc. XIII-2013-04) - MIG brazing as a means of fatigue life improvement - (N° 9/10, September-October).
- Matsuoka K., Iwata T. (Japan) - IIW-1627-03 (ex-doc. XIII-1963-03) - Fatigue strength of CP grade 2 titanium fillet welded joint for ship structure - (N° 7/8, July-August).
- Miikki N., Hovikorpi J., Laakso P., Salminen A., Kujanpää V. (Finland) - IIW-1641-01 (ex-doc. I-1139-03) - Laser cutting of birch pulp - (N° 3/4, March-April).
- Mimer M., Svensson L.E., Johansson R. (Sweden) - IIW-1598-03 (ex-doc. III-1239-03) - Process adjustments to improve fracture behaviour in resistance spot welds of EHSS and UHSS - (N° 3/4, March-April).
- Mochizuki M., Shintomi T., Hashimoto Y., Toyoda M. (Japan) - IIW-1573-02 (ex-doc. X-1503-02) - Analytical study on deformation and strength in HAZ-softened welded joints of fine-grained steels - (N° 9/10, September-October).
- Murakami H., Shinoda T., Nanbu K., Takegami H. (Japan) - IIW-1654-04 (ex-doc. III-1304-04) - Properties of frictionally coated layer on engine bore - (N° 11/12, November-December).
- Nanbu K., Shinoda T., Murakami H., Takegami H. (Japan) - IIW-1654-04 (ex-doc. III-1304-04) - Properties of frictionally coated layer on engine bore - (N° 11/12, November-December).
- Nevasmaa P. (Finland) - 2004 Henri Granjon prize, category B - IIW-1617-03 (ex-doc. IX-2066-03) - Prevention of weld metal hydrogen cracking in high-strength multipass welds - (N° 5/6, May-June).
- Nishimura Y., Kobayashi K., Iijima T., Ushio M., Tanaka M., Shimamura J., Ueno Y., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).
- Nolan D., Pitrun M. (Australia) - IIW-1616-03 (ex-doc. IX-2065-03) - Diffusible hydrogen testing in Australia - (N° 1/2, January-February).
- Nolan D., Pitrun M., Dunne D. (Australia) - IIW-1615-03 (ex-doc. IX-2064-03) - Diffusible hydrogen content in rutile flux-cored arc welds as a function of the welding parameters - (N° 1/2, January-February).
- Ohata M., An G.-B., Ohata M., Toyoda M. (Japan) - IIW-1663-04 (ex-doc. X-1554-04) - Effect of strength mismatch on ductile crack initiation behaviour from notch root - (N° 11/12, November-December).
- Okamoto S., Satonaka S., Kaieda K. (Japan) - IIW-1599-03 (ex-doc. III-1244-03) - Prediction of tensile-shear strength of spot welds based on fracture modes - (N° 5/6, May-June).
- Olesen J.F., Agerskov H., Hansen A.V., Bjørnbak-Hansen J. (Denmark) - IIW-1629-03 (ex-doc. XIII-1966-03) - Improvement of fatigue life of welded structural components of a large two-stroke diesel engine by grinding - (N° 5/6, May-June).
- Olesen J.F., Hansen A.V., Agerskov H. (Denmark) - IIW-1645-03 (ex-doc. XIII-1917-02) - An investigation on the influence of root defects on the fatigue life of the welded structure of a large two-stroke diesel engine - (N° 5/6, May-June).

- Petershagen H. (Germany), Commission XIII - IIW-1557-01 (ex-doc. XIII-1871-01) - IIW Guidance on fatigue testing of large-scale welded components - (N° 9/10, September-October).
- Piontek D., Dilthey U., Brandenburg A. (Germany) - IIW-1611-03 (ex-doc. IV-849-03) - Laser beam welded cooling structure components made of martensitic high-temperature steels - (N° 3/4, March-April).
- Pitrun M., Nolan D. (Australia) - IIW-1616-03 (ex-doc. IX-2065-03) - Diffusible hydrogen testing in Australia - (N° 1/2, January-February).
- Pitrun M., Nolan D., Dunne D. (Australia) - IIW-1615-03 (ex-doc. IX-2064-03) - Diffusible hydrogen content in rutile flux-cored arc welds as a function of the welding parameters - (N° 1/2, January-February).
- Podržaj P., Polajnar I., Bračun D., Diaci J. (Slovenia) - IIW-1650-04 (ex-doc. III-1310-04) - 3D measurement of electrode contact area in resistance spot welding of coated steel - (N° 11/12, November-December).
- Polajnar I., Bračun D., Podržaj P., Diaci J. (Slovenia) - IIW-1650-04 (ex-doc. III-1310-04) - 3D measurement of electrode contact area in resistance spot welding of coated steel - (N° 11/12, November-December).
- Rethmeier M., Kleinpeter B., Wohlfahrt H. (Germany) - IIW-1619-03 (ex-doc. IX-2083-03) - MIG welding of magnesium alloys - Metallographic aspects - (N° 3/4, March-April).
- Salminen A., Hovikorpi J., Laakso P., Miiikki N., Kujanpää V. (Finland) - IIW-1641-01 (ex-doc. I-1139-03) - Laser cutting of birch pulp - (N° 3/4, March-April).
- Satonaka S., Kaieda K., Okamoto S. (Japan) - IIW-1599-03 (ex-doc. III-1244-03) - Prediction of tensile-shear strength of spot welds based on fracture modes - (N° 5/6, May-June).
- Seib E., Koçak M., Assler H. (Germany) - IIW-1661-04 (ex-doc. X-1561-04) - Fracture assessment of welded aerospace aluminium alloys using SINTAP route - (N° 11/12, November-December).
- Shao H., Kimchi M., Cheng W., Krishnaswamy P. (USA) - IIW-1636-03 (ex-doc. III-1246-03) - Magnetic pulse welding aluminium tubes to steel bars - (N° 3/4, March-April).
- Shimamura J., Kobayashi K., Nishimura Y., Iijima T., Ushio M., Tanaka M., Ueno Y., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).
- Shinoda T., Murakami H., Nanbu K., Takegami H. (Japan) - IIW-1654-04 (ex-doc. III-1304-04) - Properties of frictionally coated layer on engine bore - (N° 11/12, November-December).
- Shintomi T., Mochizuki M., Hashimoto Y., Toyoda M. (Japan) - IIW-1573-02 (ex-doc. X-1503-02) - Analytical study on deformation and strength in HAZ-softened welded joints of fine-grained steels - (N° 9/10, September-October).
- Statnikov E.S. (USA), Lihavainen V.M., G. Marquis (Finland) - IIW-1631-03 (ex-doc. XIII-1990-03) - Fatigue strength of a longitudinal attachment improved by ultrasonic impact treatment - (N° 5/6, May-June).
- Statnikov E.S. (USA/Russia), Galtier A. (France) - IIW-1630-03 (ex-doc. XIII-1976-03) - The influence of ultrasonic impact treatment on fatigue behaviour of welded joints in high-strength steel - (N° 5/6, May-June).
- Svensson L.E. (Sweden) - IIW-1657-04 (ex-doc. III-1313-04) - Prediction of hardness of spot welds in steels - (N° 11/12, November-December).
- Takegami H., Shinoda T., Murakami H., Nanbu K. (Japan) - IIW-1654-04 (ex-doc. III-1304-04) - Properties of frictionally coated layer on engine bore - (N° 11/12, November-December).
- Tanaka M., Kobayashi K., Nishimura Y., Iijima T., Ushio M., Shimamura J., Ueno Y., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).
- Toyoda M., An G.B., Ohata M. (Japan) - IIW-1663-04 (ex-doc. X-1554-04) - Effect of strength mismatch on ductile crack initiation behaviour from notch root - (N° 11/12, November-December).
- Toyoda M., Mochizuki M., Shintomi T., Hashimoto Y. (Japan) - IIW-1573-02 (ex-doc. X-1503-02) - Analytical study on deformation and strength in HAZ-softened welded joints of fine-grained steels - (N° 9/10, September-October).
- Ueno Y., Kobayashi K., Nishimura Y., Iijima T., Ushio M., Tanaka M., Shimamura J., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).
- Ushio M., Kobayashi K., Nishimura Y., Iijima T., Tanaka M., Shimamura J., Ueno Y., Yamashita M. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).
- van Niekerk T.I., Hattingh D.G., Blignault C., Kruger G. (South Africa), James M.N. (United Kingdom) - INVITED-2004-01 - Analysis of the FSW force footprint and its relationship with process parameters to optimise weld performance and tool design - (N° 1/2, January-February).
- Virág Z., Farkas J., Jármai K. (Hungary) - IIW-1632-03 (ex-doc. XV-1144-03) - Optimum design of a belt-conveyor bridge constructed as a welded ring-stiffened cylindrical shell - (N° 1/2, January-February).
- Wenxian W., Lixing H., Dongpo W., Yufeng Z. (P.R. China) - IIW-1561-01 (ex-doc. XIII-1894-01) - Ultrasonic peening and low transformation temperature electrode used for improving the fatigue strength of welded joints - (N° 3/4, March-April).
- Wohlfahrt H., Rethmeier M., Kleinpeter B. (Germany) - IIW-1619-03 (ex-doc. IX-2083-03) - MIG welding of magnesium alloys - Metallographic aspects - (N° 3/4, March-April).

Xu P. (Germany) - IIW-1649-04 (ex-doc. III-1292-04) - Determination of fatigue crack initiation and crack propagation at spot welded joints with high-precision thermometry - (N° 11/12, November-December).

Yamashita M., Kobayashi K., Nishimura Y., Iijima T., Ushio M., Tanaka M., Shimamura J., Ueno Y. (Japan) - IIW-1626-03 (ex-doc. XI-783-03/XII-1766-03) - Practical application of high efficiency twin-arc TIG welding method (SEDAR-TIG) for PCLNG storage tank - (N° 7/8, July-August).

Yufeng Z., Lixing H., Dongpo W., Wenxian W. (P.R. China) - IIW-1561-01 (ex-doc. XIII-1894-01) - Ultrasonic peening and low transformation temperature electrode used for improving the fatigue strength of welded joints - (N° 3/4, March-April).

Yurioka N. (Japan) - IIW-1642-03 (ex-doc. IX-2057-03) - Comparison of preheat predictive methods - (N° 1/2, January-February).