

INDEX OF VOLUME 50

PART 1 – SUBJECT INDEX

- Calculation methods of adhesive bonded hybrid beams in the civil engineering field – Wissling M. (Germany) – IIW-1715-05 (ex-doc. XVI-840-05) – (No. 3/4, March/April).
- Characterization of solidification path for aluminium 6060 weld metal with variable 4043 filler dilution – Coniglio N., Cross C.E. (Germany) – IIW-1755-06 (ex-doc. IX-2208-06/IX-NF-01-06) – (No. 11/12, November/December).
- Concerns for the health and safety of welders in 2005 – McMillan G. (United Kingdom) – IIW-1719-05 (ex-doc. VIII-1993-05) – (No. 3/4, March/April).
- CRETE Code of Practice for European creep crack growth testing of industrial specimens – Dogan B. (Germany), Nikbin K., Dean D.W. (United Kingdom) – IIW-1701-05 (ex-doc. XI-820-04) – (No. 1/2, January/February).
- Development of new ultrasonic inspection technique for spot welds with matrix arrayed probe and SAFT – Ikeda T., Karasawa H., Matsumoto S., Satonaka S., Iwamoto C. (Japan) – IIW-1724-05 (ex-doc. III-1343-05) – (No. 5/6, May/June).
- Distortion behaviour of fillet T-joint during in-process control welding by additional cooling – Mochizuki M., Yamasaki H., Okano S., Toyoda M. (Japan) – IIW-1620-03 (ex-doc. X-1525-03 X/XIII/XV-RSDP-86-03) – (No. 5/6, May/June).
- Effect of reverse voltage on metal/glass anodically-bonded interface – Takahashi M., Yasuda H., Ikeuchi K. (Japan) – IIW-1714-05 (ex-doc. I-1148-04) – (No. 1/2, January/February).
- Effects of the load history on the residual stress distribution in welded components – Kannengiesser T., Boellinghaus T., Neuhaus M. (Germany) – IIW-1734-06 (ex-doc. IX-2154-05) – (No. 7/8, July/August).
- Fatigue assessment of root cracking of fillet welds subject to throat bending using the structural stress approach – Fricke W., Kahl A., Paetzold H. (Germany) – IIW-1737-06 (ex-doc. XIII-2072-05/XV-1198-05) – (No. 7/8, July/August).
- Fatigue strength of welded joints of SUS316L for chemical tankers – Iwata T., Matsuoka K., Kobayashi Y. (Japan) – IIW-1743-06 (ex-doc. XIII-2067-05) – (No. 9/10, September/October).
- Fracture mechanical values of modern pipeline-steels – Felber S. (Austria) – IIW-1697-05 (ex-doc. XI-816-04) – (No. 1/2, January/February).
- Friction stir welding and hybrid laser welding applied to 6056 alloy – van Haver W., Stassart X., Verwimp J., de Meester B., Dhooge A. (Belgium) – IIW-1761-06 (ex-doc. IX-2209-06/IX-NF-10-06) – (No. 11/12, November/December).
- Friction stir welding of precipitate hardenable aluminium alloys: A review – Olea C.A.W., Roldo L., Strohaecker T.R., dos Santos J.F. (Germany, Brazil) – IIW-1762-06 (ex-doc. IX-2219-06/IX-NF-06-06) – (No. 11/12, November/December).
- Full-scale testing of beam-to-RHS column connections with partial joint penetration groove welded joints and assessment of safety from brittle fracture – Azuma K., Kurobane Y., Iwashita T., Dale K. (Japan) – IIW-1727-05 (ex-doc. XV-1193-05) – (No. 5/6, May/June).
- Fusion boundary microstructure evolution in aluminium alloys – Kostrivas A., Lippold J.C. (United States) – IIW-1756-06 (ex-doc. IX-2221-06/IX-NF-09-06) – (No. 11/12, November/December).
- Hybrid laser/GMA welding aluminium alloy 7075 – Hu B., Richardson I.M. (The Netherlands) – IIW-1732-06 (ex-doc. IV-869-04) – (No. 7/8, July/August).
- Hybrid simulations for in-line visualisation of welding state in resistance spot welding – Matsuyama K. (United States) – IIW-1725-05 (ex-doc. III-1348-05) – (No. 5/6, May/June).
- Improvement of the joint performance in laser welding of aluminium alloys – Kutsuna M., Kitamura S., Shibata K., Sakamoto H., Tsushima K. (Japan) – IIW-1603-03 (ex-doc. IV-836-03) – (No. 1/2, January/February).
- Influence of processing conditions on the mechanical properties of aluminium overlap joints: A case study – Bergmann J.P., Herold S. (Germany) – IIW-1760-06 (ex-doc. IX-2217-06/IX-NF-04-06) – (No. 11/12, November/December).
- Influence of the weld metal chemical composition on the solidification cracking susceptibility of AA6056-T4 alloy – Ploshikhin V., Prikhodovsky A., Ilin A., Makhutin M., Heimerdinger C., Palm F. (Germany) – IIW-1758-06 (ex-doc. IX-2220-06/IX-NF-07-06) – (No. 11/12, November/December).
- In-situ weld metal continuous cooling transformation diagrams – Alexandrov B.T., Lippold J.C. (United States) – IIW-1744-06 (ex-doc. IX-2162-05) – (No. 9/10, September/October).
- International activity in health and safety in welding – The International Institute of Welding (IIW) – McMillan G. (United Kingdom) – IIW-1720-05 (ex-doc. VIII-2003-05) – (No. 3/4, March/April).
- Investigation of HAC-susceptibility of multi-layer welds with the “Bead Bend Test” – Procedure and examples – Posch G., Fiedler M., Berger W., Königshofer H., Fischer J. (Austria) – IIW-1742-06 (ex-doc. II-1566-05/II-A-154-04) – (No. 9/10, September/October).
- Investigation of the strength and quality of aluminium laser-MIG-hybrid welded joints – Dilthey U., Brandenburg A., Reich F. (Germany) – IIW-1733-06 (ex-doc. IV-882-05) – (No. 7/8, July/August).

- Lack of fusion – Characterisation of indications – Rihar G., Uran M. (Slovenia) – IIW-1698-05 (ex-doc. V-1285-04) – (No. 1/2, January/February).
- Laser hybrid welding and laser brazing at Audi and VW – Staufer H. (Austria) – IIW-1610-03 (ex-doc. IV-847-03) – (No. 7/8, July/August).
- Laser-MIG hybrid welding of aluminium alloys – Shibata K., Sakamoto H., Iwase T. (Japan) – IIW-1604-03 (ex-doc. IV-837-03) – (No. 1/2, January/February).
- Metallurgical and corrosion features of friction stir welding of AA5083-H111 – Vilaça P., Pépe N., Quintino L. (Portugal) – IIW-1746-06 (ex-doc. IX-2148-05) – (No. 9/10, September/October).
- Method for sampling and characterizing arc welding fume particles – 2006 Henry Granjon Prize, Category D – Sowards J.W. (United States) – IIW-1751-06 (ex-doc. VIII-2018-06) – (No. 9/10, September/October).
- Methodology for detecting laser parameter sets for reduced hot crack propensity by using finite element simulations – Komlódi A., Otto A. (Germany) – IIW-1757-06 (ex-doc. IX-2218-06/IX-NF-05-06) – (No. 11/12, November/December).
- Microstructure and mechanical properties of the aluminium alloy 6056 welded by friction stir welding techniques – Lafly A.L., Alléhaux D., Marie F., Dalle Donne C., Biallas G. (France, Germany) – IIW-1764-06 (ex-doc. IX-2216-06/IX-NF-03-06) – (No. 11/12, November/December).
- Microstructure of thin-gauge austenitic and ferritic stainless steel joints brazed using Metglas® amorphous foil – Leone E.A., Rabinkin A. (USA), Sarna B. (Canada) – IIW-1713-05 (ex-doc. I-1147-04) – (No. 1/2, January/February).
- Minimising abrasion and fine fluff in vibration welding – Potente H., Schnieders J., Büssing M. (Germany) – IIW-1716-05 (ex-doc. XVI-842-05) – (No. 3/4, March/April).
- Models for diode laser transformation hardening of steels – 2006 Henry Granjon Prize, Category A – Pantsar H. (Finland) – IIW-1747-06 (ex-doc. IV-910-06) – (No. 9/10, September/October).
- Non-destructive determination of interstitial nitrogen content in austenitic stainless steel weld metal utilizing thermoelectric power – 2006 Henry Granjon Prize, Category C – Lasseigne A. (United States) – IIW-1750-06 (ex-doc. V-1335-06) – (No. 9/10, September/October).
- Numerical modelling of heat transfer, fluid flow and microstructural evolution during fusion welding of alloys – 2006 Henry Granjon Prize, Category A – Zhang W. (United States) – IIW-1748-06 (ex-doc. XII-1890-06) – (No. 9/10, September/October).
- Optimum design and cost comparison of a welded plate stiffened on one side and a cellular plate both loaded by uniaxial compression – Farkas J., Jármai K. (Hungary) – IIW-1718-05 (ex-doc. XV-1191-05) – (No. 3/4, March/April).
- Prediction of Sigma phase precipitation in super duplex stainless steel weldments – Nishimoto K., Saida K., Katsuyama O. (Japan) – IIW-1717-05 (ex-doc. IX-2150-05) – (No. 3/4, March/April).
- Preliminary study of improvement of fatigue properties of welded joints by plasma spray process – Huo L., Zhang Z., Wang D., Zhang Y. (China) – IIW-1736-06 (ex-doc. XIII-2048-05) – (No. 7/8, July/August).
- Recent advances and improvements in the simulation of resistance welding processes – Zhang W. (Denmark) – IIW-1721-05 (ex-doc. III-1345-05) – (No. 3/4, March/April).
- Reducing failure risk in welded components – Shackleton D.N. (United Kingdom) – IIW-1745-06 (ex-doc. XI-836-05) – (No. 9/10, September/October).
- Resistance spot welding of uncoated and zinc coated Advanced High-Strength Steels (AHSS) – Weldability and process reliability-influence of welding parameters – Weber G., Göklü S. (Germany) – IIW-1722-05 (ex-doc. III-1347-05) – (No. 3/4, March/April).
- Seismic performance of fillet welds in moment resisting connections – Woerner W., Short A., Ferguson W.G. (New Zealand) – IIW-1726-05 (ex-doc. XV-1192-05) – (No. 5/6, May/June).
- Sensitisation of two 11-12 % chromium type EN 1.4003 ferritic stainless steels during continuous cooling after welding – Greeff M.L., Du Toit M. (South Africa) – IIW-1735-06 (ex-doc. IX-2182-05) – (No. 7/8, July/August).
- Significance of creep crack initiation for defect assessment – Dogan B., Ceyhan U., Petrovski B. (Germany) – IIW-1700-05 (ex-doc. XI-819-04) – (No. 1/2, January/February).
- Standardization works for resistance welding and allied welding processes – Matsuyama K. (Japan) – INVT-2006-01 (Thomas Medal Lecture 2004) – (No. 5/6, May/June).
- Stellite failure on a P91 HP valve – Failure investigation and modelling of residual stresses – Thorborg J., Hald J., Hattel J. (Denmark) – IIW-1696-05 (ex-doc. IX-2134-04) – (No. 1/2, January/February).
- Strength and fatigue resistance of laser-MIG hybrid butt welds of an airframe aluminium alloy AA6013 – Vaidya W.V., Angamuthu K., Koçak M., Grube R., Hackius J. (Germany) – IIW-1763-06 (ex-doc. IX-2222-06/IX-NF-11-06) – (No. 11/12, November/December).
- Study of underwater laser welding repair technology – Morita I., Owaki K., Yamaoka H. (Japan), Kim C.C. (United States) – IIW-1625-03 (ex-doc. IV-846-03/XI-782-03) – (No. 7/8, July/August).
- Surface crack propagation analysis under residual stress field – Mochizuki M., Miyazaki K. (Japan) – IIW-1621-03 (ex-doc. X-1526-03) – (No. 5/6, May/June).
- Susceptibility of low strength rutile flux-cored weld metal to hydrogen assisted cold cracking – Pitrun M., Nolan D. (Australia) – IIW-1723-05 (ex-doc. IX-2166-05) – (No. 5/6, May/June).
- Temperature evolution and mechanical properties of dissimilar friction stir weldments when joining AA2024 and AA7075 with an AA6056 alloy – Zettler R., Potomati F., dos Santos J.F., de Alcantara N.G. (Germany, Brazil) – IIW-1765-06 (ex-doc. IX-2211-06/IX-NF-08-06) – (No. 11/12, November/December).

The activities of the Working Group of Czech Welding Society called "Safety and Work Hygiene during Welding" – Benes S. (Czech Republic) – IIW-1739-06 (ex-doc. VIII-1992-05) – (No. 9/10, September/October).
The effect of restraint on weld solidification cracking in aluminium – Cross C.E., Boellinghaus T. (Germany) – IIW-1759-06 (ex-doc. IX-2215-06/IX-NF-02-06) – (No. 11/12, November/December).

The influence of molybdenum on the microstructure of stainless steel welds – 2006 Henry Granjon Prize, Category B – Anderson T. (United States) – IIW-1749-06 (ex-doc. IX-2202-06) – (No. 9/10, September/October).

Use of pulsed CO₂ laser in laser roll bonding of A5052 aluminium alloy and low carbon steel – Rathod M., Kutsuna M. (Japan) – IIW-1602-03 (ex-doc. IV-835-03) – (No. 7/8, July/August).

PART 2 – AUTHOR INDEX

Alexandrov B.T., Lippold J.C. (United States) – In-situ weld metal continuous cooling transformation diagrams – IIW-1744-06 (ex-doc. IX-2162-05) – (No. 9/10, September/October).

Alléhaux D., Marie F. (France), Lafly A.L., Dalle Donne C., Biallas G. (Germany) – Microstructure and mechanical properties of the aluminium alloy 6056 welded by friction stir welding techniques – IIW-1764-06 (ex-doc. IX-2216-06/IX-NF-03-06) – (No. 11/12, November/December).

Anderson T. (United States) – The influence of molybdenum on the microstructure of stainless steel welds – 2006 Henry Granjon Prize, Category B – IIW-1749-06 (ex-doc. IX-2202-06) – (No. 9/10, September/October).

Angamuthu K., Koçak M., Grube R., Hackius J., Vaidya W.V. (Germany) – Strength and fatigue resistance of laser-MIG hybrid butt welds of an airframe aluminium alloy AA6013 – IIW-1763-06 (ex-doc. IX-2222-06/IX-NF-11-06) – (No. 11/12, November/December).

Azuma K., Kurobane Y., Iwashita T., Dale K. (Japan) – Full-scale testing of beam-to-RHS column connections with partial joint penetration groove welded joints and assessment of safety from brittle fracture – IIW-1727-05 (ex-doc. XV-1193-05) – (No. 5/6, May/June).

Benes S. (Czech Republic) – The activities of the Working Group of Czech Welding Society called "Safety and Work Hygiene during Welding" – IIW-1739-06 (ex-doc. VIII-1992-05) – (No. 9/10, September/October).

Berger W., Königshofer H., Fischer J., Posch G., Fiedler M. (Austria) – Investigation of HAC-susceptibility of multi-layer welds with the "Bead Bend Test" – Procedure and examples – IIW-1742-06 (ex-doc. II-1566-05/II-A-154-04) – (No. 9/10, September/October).

Bergmann J.P., Herold S. (Germany) – Influence of processing conditions on the mechanical properties of aluminium overlap joints: A case study – IIW-1760-06 (ex-doc. IX-2217-06/IX-NF-04-06) – (No. 11/12, November/December).

Biallas G., Lafly A.L., Dalle Donne C. (Germany), Alléhaux D., Marie F. (France) – Microstructure and mechanical properties of the aluminium alloy 6056 welded by friction stir welding techniques – IIW-1764-06 (ex-doc. IX-2216-06/IX-NF-03-06) – (No. 11/12, November/December).

Boellinghaus T., Neuhaus M., Kannengiesser T. (Germany) – Effects of the load history on the residual stress distribution in welded components – IIW-1734-06 (ex-doc. IX-2154-05) – (No. 7/8, July/August).

Boellinghaus T., Cross C.E. (Germany) – The effect of restraint on weld solidification cracking in aluminium – IIW-1759-06 (ex-doc. IX-2215-06/IX-NF-02-06) – (No. 11/12, November/December).

Brandenburg A., Reich F., Diltthey U. (Germany) – Investigation of the strength and quality of aluminium laser-MIG-hybrid welded joints – IIW-1733-06 (ex-doc. IV-882-05) – (No. 7/8, July/August)

Büssing M., Potente H., Schnieders J. (Germany) – Minimising abrasion and fine fluff in vibration welding – IIW-1716-05 (ex-doc. XVI-842-05) – (No. 3/4, March/April).

Ceyhan U., Petrovski B., Dogan B. (Germany) – Significance of creep crack initiation for defect assessment – IIW-1700-05 (ex-doc. XI-819-04) – (No. 1/2, January/February)

Coniglio N., Cross C.E. (Germany) – Characterization of solidification path for aluminium 6060 weld metal with variable 4043 filler dilution – IIW-1755-06 (ex-doc. IX-2208-06/IX-NF-01-06) – (No. 11/12, November/December).

Cross C.E., Coniglio N. (Germany) – Characterization of solidification path for aluminium 6060 weld metal with variable 4043 filler dilution – IIW-1755-06 (ex-doc. IX-2208-06/IX-NF-01-06) – (No. 11/12, November/December).

Cross C.E., Boellinghaus T. (Germany) – The effect of restraint on weld solidification cracking in aluminium – IIW-1759-06 (ex-doc. IX-2215-06/IX-NF-02-06) – (No. 11/12, November/December).

Dale K., Azuma K., Kurobane Y., Iwashita T. (Japan) – Full-scale testing of beam-to-RHS column connections with partial joint penetration groove welded joints and assessment of safety from brittle fracture – IIW-1727-05 (ex-doc. XV-1193-05) – (No. 5/6, May/June).

Dalle Donne C., Biallas G., Lafly A.L. (Germany), Alléhaux D., Marie F. (France) – Microstructure and mechanical properties of the aluminium alloy 6056 welded by friction stir welding techniques – IIW-1764-06 (ex-doc. IX-2216-06/IX-NF-03-06) – (No. 11/12, November/December).

- de Alcantara N.G., Potomati F. (Brazil), Zettler R., dos Santos J.F. (Germany) – Temperature evolution and mechanical properties of dissimilar friction stir weldments when joining AA2024 and AA7075 with an AA6056 alloy – IIW-1765-06 (ex-doc. IX-2211-06/IX-NF-08-06) – (No. 11/12, November/December).
- de Meester B., Dhooge A., van Haver W., Stassart X., Verwimp J. (Belgium) – Friction stir welding and hybrid laser welding applied to 6056 alloy – IIW-1761-06 (ex-doc. IX-2209-06/IX-NF-10-06) – (No. 11/12, November/December).
- Dean D.W., Nikbin K. (United Kingdom), Dogan B. (Germany) – CRETE Code of Practice for European creep crack growth testing of industrial specimens – IIW-1701-05 (ex-doc. XI-820-04) – (No. 1/2, January/February).
- Dhooge A., van Haver W., Stassart X., Verwimp J., de Meester B. (Belgium) – Friction stir welding and hybrid laser welding applied to 6056 alloy – IIW-1761-06 (ex-doc. IX-2209-06/IX-NF-10-06) – (No. 11/12, November/December).
- Dilthey U., Brandenburg A., Reich F. (Germany) – Investigation of the strength and quality of aluminium laser-MIG-hybrid welded joints – IIW-1733-06 (ex-doc. IV-882-05) – (No. 7/8, July/August).
- Dogan B. (Germany), Nikbin K., Dean D.W. (United Kingdom) – CRETE Code of Practice for European creep crack growth testing of industrial specimens – IIW-1701-05 (ex-doc. XI-820-04) – (No. 1/2, January/February).
- Dogan B., Ceyhan U., Petrovski B. (Germany) – Significance of creep crack initiation for defect assessment – IIW-1700-05 (ex-doc. XI-819-04) – (No. 1/2, January/February).
- dos Santos J.F., Olea C.A.W. (Germany), Roldo L., Strohaecker T.R., Brazil) – Friction stir welding of precipitate hardenable aluminium alloys: A review – IIW-1762-06 (ex-doc. IX-2219-06/IX-NF-06-06) – (No. 11/12, November/December).
- dos Santos J.F., Zettler R. (Germany), Potomati F., de Alcantara N.G. (Brazil) – Temperature evolution and mechanical properties of dissimilar friction stir weldments when joining AA2024 and AA7075 with an AA6056 alloy – IIW-1765-06 (ex-doc. IX-2211-06/IX-NF-08-06) – (No. 11/12, November/December).
- Du Toit M., Greeff M.L. (South Africa) – Sensitisation of two 11-12 % chromium type EN 1.4003 ferritic stainless steels during continuous cooling after welding – IIW-1735-06 (ex-doc. IX-2182-05) – (No. 7/8, July/August).
- Farkas J., Jármai K. (Hungary) – Optimum design and cost comparison of a welded plate stiffened on one side and a cellular plate both loaded by uniaxial compression – IIW-1718-05 (ex-doc. XV-1191-05) – (No. 3/4, March/April).
- Felber S. (Austria) – Fracture mechanical values of modern pipeline-steels – IIW-1697-05 (ex-doc. XI-816-04) – (No. 1/2, January/February).
- Ferguson W.G., Woerner W., Short A. (New Zealand) – Seismic performance of fillet welds in moment resisting connections – IIW-1726-05 (ex-doc. XV-1192-05) – (No. 5/6, May/June).
- Fiedler M., Berger W., Königshofer H., Fischer J., Posch G. (Austria) – Investigation of HAC-susceptibility of multi-layer welds with the “Bead Bend Test” – Procedure and examples – IIW-1742-06 (ex-doc. II-1566-05/II-A-154-04) – (No. 9/10, September/October).
- Fischer J., Posch G., Fiedler M., Berger W., Königshofer H. (Austria) – Investigation of HAC-susceptibility of multi-layer welds with the “Bead Bend Test” – Procedure and examples – IIW-1742-06 (ex-doc. II-1566-05/II-A-154-04) – (No. 9/10, September/October).
- Fricke W., Kahl A., Paetzold H. (Germany) – Fatigue assessment of root cracking of fillet welds subject to throat bending using the structural stress approach – IIW-1737-06 (ex-doc. XIII-2072-05/XV-1198-05) – (No. 7/8, July/August).
- Göklü S., Weber G. (Germany) – Resistance spot welding of uncoated and zinc coated Advanced High-Strength Steels (AHSS) – Weldability and process reliability-influence of welding parameters – IIW-1722-05 (ex-doc. III-1347-05) – (No. 3/4, March/April).
- Greeff M.L., Du Toit M. (South Africa) – Sensitisation of two 11-12 % chromium type EN 1.4003 ferritic stainless steels during continuous cooling after welding – IIW-1735-06 (ex-doc. IX-2182-05) – (No. 7/8, July/August).
- Grube R., Hackius J., Vaidya W.V., Angamuthu K., Koçak M. (Germany) – Strength and fatigue resistance of laser-MIG hybrid butt welds of an airframe aluminium alloy AA6013 – IIW-1763-06 (ex-doc. IX-2222-06/IX-NF-11-06) – (No. 11/12, November/December).
- Hackius J., Vaidya W.V., Angamuthu K., Koçak M., Grube R. (Germany) – Strength and fatigue resistance of laser-MIG hybrid butt welds of an airframe aluminium alloy AA6013 – IIW-1763-06 (ex-doc. IX-2222-06/IX-NF-11-06) – (No. 11/12, November/December).
- Hald J., Hattel J., Thorborg J. (Denmark) – Stellite failure on a P91 HP valve – Failure investigation and modelling of residual stresses – IIW-1696-05 (ex-doc. IX-2134-04) – (No. 1/2, January/February).
- Hattel J., Thorborg J., Hald J. (Denmark) – Stellite failure on a P91 HP valve – Failure investigation and modelling of residual stresses – IIW-1696-05 (ex-doc. IX-2134-04) – (No. 1/2, January/February).
- Heimerdinger C., Palm F., Ploshikhin V., Prikhodovsky A., Ilin A., Makhutin M. (Germany) – Influence of the weld metal chemical composition on the solidification cracking susceptibility of AA6056-T4 alloy – IIW-1758-06 (ex-doc. IX-2220-06/IX-NF-07-06) – (No. 11/12, November/December).
- Herold S., Bergmann J.P. (Germany) – Influence of processing conditions on the mechanical properties of aluminium overlap joints: A case study – IIW-1760-06 (ex-doc. IX-2217-06/IX-NF-04-06) – (No. 11/12, November/December).

- Hu B., Richardson I.M. (The Netherlands) – Hybrid laser/GMA welding aluminium alloy 7075 – IIW-1732-06 (ex-doc. IV-869-04) – (No. 7/8, July/August).
- Huo L., Zhang Z., Wang D., Zhang Y. (China) – Preliminary study of improvement of fatigue properties of welded joints by plasma spray process – IIW-1736-06 (ex-doc. XIII-2048-05) – (No. 7/8, July/August).
- Ikeda T., Karasawa H., Matsumoto S., Satonaka S., Iwamoto C. (Japan) – Development of new ultrasonic inspection technique for spot welds with matrix arrayed probe and SAFT – IIW-1724-05 (ex-doc. III-1343-05) – (No. 5/6, May/June).
- Ikeuchi K., Takahashi M., Yasuda H. (Japan) – Effect of reverse voltage on metal/glass anodically-bonded interface – IIW-1714-05 (ex-doc. I-1148-04) – (No. 1/2, January/February).
- Ilin A., Makhutin M., Heimerdinger C., Palm F., Ploshikhin V., Prikhodovsky A. (Germany) – Influence of the weld metal chemical composition on the solidification cracking susceptibility of AA6056-T4 alloy – IIW-1758-06 (ex-doc. IX-2220-06/IX-NF-07-06) – (No. 11/12, November/December).
- Iwamoto C., Ikeda T., Karasawa H., Matsumoto S., Satonaka S. (Japan) – Development of new ultrasonic inspection technique for spot welds with matrix arrayed probe and SAFT – IIW-1724-05 (ex-doc. III-1343-05) – (No. 5/6, May/June).
- Iwase T., Shibata K., Sakamoto H. (Japan) – Laser-MIG hybrid welding of aluminium alloys – IIW-1604-03 (ex-doc. IV-837-03) – (No. 1/2, January/February).
- Iwashita T., Dale K., Azuma K., Kurobane Y. (Japan) – Full-scale testing of beam-to-RHS column connections with partial joint penetration groove welded joints and assessment of safety from brittle fracture – IIW-1727-05 (ex-doc. XV-1193-05) – (No. 5/6, May/June).
- Iwata T., Matsuoka K., Kobayashi Y. (Japan) – Fatigue strength of welded joints of SUS316L for chemical tankers – IIW-1743-06 (ex-doc. XIII-2067-05) – (No. 9/10, September/October).
- Jármai K., Farkas J. (Hungary) – Optimum design and cost comparison of a welded plate stiffened on one side and a cellular plate both loaded by uniaxial compression – IIW-1718-05 (ex-doc. XV-1191-05) – (No. 3/4, March/April).
- Kahl A., Paetzold H., Fricke W. (Germany) – Fatigue assessment of root cracking of fillet welds subject to throat bending using the structural stress approach – IIW-1737-06 (ex-doc. XIII-2072-05/XV-1198-05) – (No. 7/8, July/August).
- Kannengiesser T., Boellinghaus T., Neuhaus M. (Germany) – Effects of the load history on the residual stress distribution in welded components – IIW-1734-06 (ex-doc. IX-2154-05) – (No. 7/8, July/August).
- Karasawa H., Matsumoto S., Satonaka S., Iwamoto C., Ikeda T. (Japan) – Development of new ultrasonic inspection technique for spot welds with matrix arrayed probe and SAFT – IIW-1724-05 (ex-doc. III-1343-05) – (No. 5/6, May/June).
- Katsuyama O., Nishimoto K., Saida K. (Japan) – Prediction of Sigma phase precipitation in super duplex stainless steel weldments – IIW-1717-05 (ex-doc. IX-2150-05) – (No. 3/4, March/April).
- Kim C.C. (United States), Morita I., Owaki K., Yamaoka H. (Japan) – Study of underwater laser welding repair technology – IIW-1625-03 (ex-doc. IV-846-03/XI-782-03) – (No. 7/8, July/August).
- Kitamura S., Shibata K., Sakamoto H., Tsushima K., Kutsuna M. (Japan) – Improvement of the joint performance in laser welding of aluminium alloys – IIW-1603-03 (ex-doc. IV-836-03) – (No. 1/2, January/February).
- Kobayashi Y., Iwata T., Matsuoka K. (Japan) – Fatigue strength of welded joints of SUS316L for chemical tankers – IIW-1743-06 (ex-doc. XIII-2067-05) – (No. 9/10, September/October).
- Koçak M., Grube R., Hackius J., Vaidya W.V., Angamuthu K. (Germany) – Strength and fatigue resistance of laser-MIG hybrid butt welds of an airframe aluminium alloy AA6013 – IIW-1763-06 (ex-doc. IX-2222-06/IX-NF-11-06) – (No. 11/12, November/December).
- Komlódi A., Otto A. (Germany) – Methodology for detecting laser parameter sets for reduced hot crack propensity by using finite element simulations – IIW-1757-06 (ex-doc. IX-2218-06/IX-NF-05-06) – (No. 11/12, November/December).
- Königshofer H., Fischer J., Posch G., Fiedler M., Berger W. (Austria) – Investigation of HAC-susceptibility of multi-layer welds with the “Bead Bend Test” – Procedure and examples – IIW-1742-06 (ex-doc. II-1566-05/II-A-154-04) – (No. 9/10, September/October).
- Kostrivas A., Lippold J.C. (United States) – Fusion boundary microstructure evolution in aluminium alloys – IIW-1756-06 (ex-doc. IX-2221-06/IX-NF-09-06) – (No. 11/12, November/December).
- Kurobane Y., Iwashita T., Dale K., Azuma K. (Japan) – Full-scale testing of beam-to-RHS column connections with partial joint penetration groove welded joints and assessment of safety from brittle fracture – IIW-1727-05 (ex-doc. XV-1193-05) – (No. 5/6, May/June).
- Kutsuna M., Kitamura S., Shibata K., Sakamoto H., Tsushima K. (Japan) – Improvement of the joint performance in laser welding of aluminium alloys – IIW-1603-03 (ex-doc. IV-836-03) – (No. 1/2, January/February).
- Kutsuna M., Rathod M. (Japan) – Use of pulsed CO₂ laser in laser roll bonding of A5052 aluminium alloy and low carbon steel – IIW-1602-03 (ex-doc. IV-835-03) – (No. 7/8, July/August).
- Lafly A.L., Dalle Donne C., Biallas G. (Germany), Alléhaux D., Marie F. (France) – Microstructure and mechanical properties of the aluminium alloy 6056 welded by friction stir welding techniques – IIW-1764-06 (ex-doc. IX-2216-06/IX-NF-03-06) – (No. 11/12, November/December).
- Lasseigne A. (United States) – Non-destructive determination of interstitial nitrogen content in austenitic stainless steel weld metal utilizing thermoelectric power – 2006 Henry Granjon Prize, Category C – IIW-1750-06 (ex-doc. V-1335-06) – (No. 9/10, September/October).

- Leone E.A., Rabinkin A. (USA), Sarna B. (Canada) – Microstructure of thin-gauge austenitic and ferritic stainless steel joints brazed using Metglas® amorphous foil – IIW-1713-05 (ex-doc. I-1147-04) – (No. 1/2, January/February).
- Lippold J.C., Kostriwas A. (United States) – Fusion boundary microstructure evolution in aluminium alloys – IIW-1756-06 (ex-doc. IX-2221-06/IX-NF-09-06) – (No. 11/12, November/December).
- Lippold J.C., Alexandrov B.T. (United States) – In-situ weld metal continuous cooling transformation diagrams – IIW-1744-06 (ex-doc. IX-2162-05) – (No. 9/10, September/October).
- Makhutin M., Heimerdinger C., Palm F., Ploshikhin V., Prikhodovsky A., Ilin A. (Germany) – Influence of the weld metal chemical composition on the solidification cracking susceptibility of AA6056-T4 alloy – IIW-1758-06 (ex-doc. IX-2220-06/IX-NF-07-06) – (No. 11/12, November/December).
- Marie F., Alléhaux D. (France) Lafly A.L., Dalle Donne C., Biallas G. (Germany) – Microstructure and mechanical properties of the aluminium alloy 6056 welded by friction stir welding techniques – IIW-1764-06 (ex-doc. IX-2216-06/IX-NF-03-06) – (No. 11/12, November/December).
- Matsumoto S., Satonaka S., Iwamoto C., Ikeda T., Karasawa H. (Japan) – Development of new ultrasonic inspection technique for spot welds with matrix arrayed probe and SAFT – IIW-1724-05 (ex-doc. III-1343-05) – (No. 5/6, May/June).
- Matsuoka K., Kobayashi Y., Iwata T. (Japan) – Fatigue strength of welded joints of SUS316L for chemical tankers – IIW-1743-06 (ex-doc. XIII-2067-05) – (No. 9/10, September/October).
- Matsuyama K. (United States) – Hybrid simulations for in-line visualisation of welding state in resistance spot welding – IIW-1725-05 (ex-doc. III-1348-05) – (No. 5/6, May/June).
- Matsuyama K. (Japan) – Standardization works for resistance welding and allied welding processes – INVT-2006-01 (Thomas Medal Lecture 2004) – (No. 5/6, May/June).
- McMillan G. (United Kingdom) – Concerns for the health and safety of welders in 2005 – IIW-1719-05 (ex-doc. VIII-1993-05) – (No. 3/4, March/April).
- McMillan G. (United Kingdom) – International activity in health and safety in welding – The International Institute of Welding (IIW) – IIW-1720-05 (ex-doc. VIII-2003-05) – (No. 3/4, March/April).
- Miyazaki K., Mochizuki M. (Japan) – Surface crack propagation analysis under residual stress field – IIW-1621-03 (ex-doc. X-1526-03) – (No. 5/6, May/June).
- Mochizuki M., Miyazaki K. (Japan) – Surface crack propagation analysis under residual stress field – IIW-1621-03 (ex-doc. X-1526-03) – (No. 5/6, May/June).
- Morita I., Owaki K., Yamaoka H. (Japan), Kim C.C. (United States) – Study of underwater laser welding repair technology – IIW-1625-03 (ex-doc. IV-846-03/XI-782-03) – (No. 7/8, July/August).
- Morita I., Owaki K., Yamaoka H. (Japan), Kim C.C. (United States) – Study of underwater laser welding repair technology – IIW-1625-03 (ex-doc. IV-846-03/XI-782-03) – (No. 7/8, July/August).
- Neuhaus M., Kannengiesser T., Boellinghaus T. (Germany) – Effects of the load history on the residual stress distribution in welded components – IIW-1734-06 (ex-doc. IX-2154-05) – (No. 7/8, July/August).
- Nikbin K., Dean D.W. (United Kingdom), Dogan B. (Germany) – CRETE Code of Practice for European creep crack growth testing of industrial specimens – IIW-1701-05 (ex-doc. XI-820-04) – (No. 1/2, January/February).
- Nishimoto K., Saida K., Katsuyama O. (Japan) – Prediction of Sigma phase precipitation in super duplex stainless steel weldments – IIW-1717-05 (ex-doc. IX-2150-05) – (No. 3/4, March/April).
- Nolan D., Pitrun M. (Australia) – Susceptibility of low strength rutile flux-cored weld metal to hydrogen assisted cold cracking – IIW-1723-05 (ex-doc. IX-2166-05) – (No. 5/6, May/June).
- Okano S., Toyoda M., Mochizuki M., Yamasaki H. (Japan) – Distortion behaviour of fillet T-joint during in-process control welding by additional cooling – IIW-1620-03 (ex-doc. X-1525-03 X/XIII/XV-RSDP-86-03) – (No. 5/6, May/June).
- Olea C.A.W., dos Santos J.F. (Germany), Roldo L., Strohaecker T.R. (Brazil) – Friction stir welding of precipitate hardenable aluminium alloys: A review – IIW-1762-06 (ex-doc. IX-2219-06/IX-NF-06-06) – (No. 11/12, November/December).
- Otto A., Komlódi A. (Germany) – Methodology for detecting laser parameter sets for reduced hot crack propensity by using finite element simulations – IIW-1757-06 (ex-doc. IX-2218-06/IX-NF-05-06) – (No. 11/12, November/December).
- Owaki K., Yamaoka H., Morita I. (Japan), Kim C.C. (United States) – Study of underwater laser welding repair technology – IIW-1625-03 (ex-doc. IV-846-03/XI-782-03) – (No. 7/8, July/August).
- Paetzold H., Fricke W., Kahl A. (Germany) – Fatigue assessment of root cracking of fillet welds subject to throat bending using the structural stress approach – IIW-1737-06 (ex-doc. XIII-2072-05/XV-1198-05) – (No. 7/8, July/August).
- Palm F., Ploshikhin V., Prikhodovsky A., Ilin A., Makhutin M., Heimerdinger C. (Germany) – Influence of the weld metal chemical composition on the solidification cracking susceptibility of AA6056-T4 alloy – IIW-1758-06 (ex-doc. IX-2220-06/IX-NF-07-06) – (No. 11/12, November/December).
- Pantsar H. (Finland) – Models for diode laser transformation hardening of steels – 2006 Henry Granjon Prize, Category A – IIW-1747-06 (ex-doc. IV-910-06) – (No. 9/10, September/October).

- Pépe N., Quintino L., Vilaça P. (Portugal) – Metallurgical and corrosion features of friction stir welding of AA5083-H111 – IIW-1746-06 (ex-doc. IX-2148-05) – (No. 9/10, September/October).
- Petrovski B., Dogan B., Ceyhan U. (Germany) – Significance of creep crack initiation for defect assessment – IIW-1700-05 (ex-doc. XI-819-04) – (No. 1/2, January/February).
- Pitrun M., Nolan D. (Australia) – Susceptibility of low strength rutile flux-cored weld metal to hydrogen assisted cold cracking – IIW-1723-05 (ex-doc. IX-2166-05) – (No. 5/6, May/June).
- Ploshikhin V., Prikhodovsky A., Ilin A., Makhutin M., Heimerdinger C., Palm F. (Germany) – Influence of the weld metal chemical composition on the solidification cracking susceptibility of AA6056-T4 alloy – IIW-1758-06 (ex-doc. IX-2220-06/IX-NF-07-06) – (No. 11/12, November/December).
- Posch G., Fiedler M., Berger W., Königshofer H., Fischer J. (Austria) – Investigation of HAC-susceptibility of multi-layer welds with the “Bead Bend Test” – Procedure and examples – IIW-1742-06 (ex-doc. II-1566-05/II-A-154-04) – (No. 9/10, September/October).
- Potente H., Schnieders J., Büssing M. (Germany) – Minimising abrasion and fine fluff in vibration welding – IIW-1716-05 (ex-doc. XVI-842-05) – (No. 3/4, March/April).
- Potomati F., de Alcantara N.G. (Brazil), Zettler R., dos Santos J.F. (Germany) – Temperature evolution and mechanical properties of dissimilar friction stir weldments when joining AA2024 and AA7075 with an AA6056 alloy – IIW-1765-06 (ex-doc. IX-2211-06/IX-NF-08-06) – (No. 11/12, November/December).
- Prikhodovsky A., Ilin A., Makhutin M., Heimerdinger C., Palm F., Ploshikhin V. (Germany) – Influence of the weld metal chemical composition on the solidification cracking susceptibility of AA6056-T4 alloy – IIW-1758-06 (ex-doc. IX-2220-06/IX-NF-07-06) – (No. 11/12, November/December).
- Quintino L., Vilaça P., Pépe N. (Portugal) – Metallurgical and corrosion features of friction stir welding of AA5083-H111 – IIW-1746-06 (ex-doc. IX-2148-05) – (No. 9/10, September/October).
- Rabinkin A., Leone E.A. (USA), Sarna B. (Canada) – Microstructure of thin-gauge austenitic and ferritic stainless steel joints brazed using Metglas® amorphous foil – IIW-1713-05 (ex-doc. I-1147-04) – (No. 1/2, January/February).
- Rathod M., Kutsuna M. (Japan) – Use of pulsed CO₂ laser in laser roll bonding of A5052 aluminium alloy and low carbon steel – IIW-1602-03 (ex-doc. IV-835-03) – (No. 7/8, July/August).
- Reich F., Dilthey U., Brandenburg A. (Germany) – Investigation of the strength and quality of aluminium laser-MIG-hybrid welded joints – IIW-1733-06 (ex-doc. IV-882-05) – (No. 7/8, July/August).
- Richardson I.M., Hu B. (The Netherlands) – Hybrid laser/GMA welding aluminium alloy 7075 – IIW-1732-06 (ex-doc. IV-869-04) – (No. 7/8, July/August).
- Rihar G., Uran M. (Slovenia) – Lack of fusion – Characterisation of indications – IIW-1698-05 (ex-doc. V-1285-04) – (No. 1/2, January/February).
- Roldo L., Strohaecker T.R. (Brazil), Olea C.A.W., dos Santos J.F. (Germany) – Friction stir welding of precipitate hardenable aluminium alloys: A review – IIW-1762-06 (ex-doc. IX-2219-06/IX-NF-06-06) – (No. 11/12, November/December).
- Saida K., Katsuyama O., Nishimoto K. (Japan) – Prediction of Sigma phase precipitation in super duplex stainless steel weldments – IIW-1717-05 (ex-doc. IX-2150-05) – (No. 3/4, March/April).
- Sakamoto H., Tsushima K., Kutsuna M., Kitamura S., Shibata K. (Japan) – Improvement of the joint performance in laser welding of aluminium alloys – IIW-1603-03 (ex-doc. IV-836-03) – (No. 1/2, January/February).
- Sakamoto H., Iwase T., Shibata K. (Japan) – Laser-MIG hybrid welding of aluminium alloys – IIW-1604-03 (ex-doc. IV-837-03) – (No. 1/2, January/February).
- Sarna B. (Canada), Leone E.A., Rabinkin A. (USA), – Microstructure of thin-gauge austenitic and ferritic stainless steel joints brazed using Metglas® amorphous foil – IIW-1713-05 (ex-doc. I-1147-04) – (No. 1/2, January/February).
- Satonaka S., Iwamoto C., Ikeda T., Karasawa H., Matsumoto S. (Japan) – Development of new ultrasonic inspection technique for spot welds with matrix arrayed probe and SAFT – IIW-1724-05 (ex-doc. III-1343-05) – (No. 5/6, May/June).
- Schnieders J., Büssing M., Potente H. (Germany) – Minimising abrasion and fine fluff in vibration welding – IIW-1716-05 (ex-doc. XVI-842-05) – (No. 3/4, March/April).
- Shackleton D.N. (United Kingdom) – Reducing failure risk in welded components – IIW-1745-06 (ex-doc. XI-836-05) – (No. 9/10, September/October).
- Shibata K., Sakamoto H., Tsushima K., Kutsuna M., Kitamura S. (Japan) – Improvement of the joint performance in laser welding of aluminium alloys – IIW-1603-03 (ex-doc. IV-836-03) – (No. 1/2, January/February).
- Shibata K., Sakamoto H., Iwase T. (Japan) – Laser-MIG hybrid welding of aluminium alloys – IIW-1604-03 (ex-doc. IV-837-03) – (No. 1/2, January/February).
- Short A., Ferguson W.G., Woerner W. (New Zealand) – Seismic performance of fillet welds in moment resisting connections – IIW-1726-05 (ex-doc. XV-1192-05) – (No. 5/6, May/June).
- Sowards J.W. (United States) – Method for sampling and characterizing arc welding fume particles- 2006 Henry Granjon Prize, Category D – IIW-1751-06 (ex-doc. VIII-2018-06) – (No. 9/10, September/October).
- Stassart X., Verwimp J., de Meester B., Dhooge A., van Haver W. (Belgium) – Friction stir welding and hybrid laser welding applied to 6056 alloy – IIW-1761-06 (ex-doc. IX-2209-06/IX-NF-10-06) – (No. 11/12, November/December).
- Stauffer H. (Austria) – Laser hybrid welding and laser brazing at Audi and VW – IIW-1610-03 (ex-doc. IV-847-03) – (No. 7/8, July/August).

- Strohaecker T.R., Roldo L. (Brazil), Olea C.A.W., dos Santos J.F. (Germany) – Friction stir welding of precipitate hardenable aluminium alloys: A review – IIW-1762-06 (ex-doc. IX-2219-06/IX-NF-06-06) – (No. 11/12, November/December).
- Takahashi M., Yasuda H., Ikeuchi K. (Japan) – Effect of reverse voltage on metal/glass anodically-bonded interface – IIW-1714-05 (ex-doc. I-1148-04) – (No. 1/2, January/February).
- Thorborg J., Hald J., Hattel J. (Denmark) – Stellite failure on a P91 HP valve – Failure investigation and modelling of residual stresses – IIW-1696-05 (ex-doc. IX-2134-04) – (No. 1/2, January/February).
- Toyoda M., Mochizuki M., Yamasaki H., Okano S. (Japan) – Distortion behaviour of fillet T-joint during in-process control welding by additional cooling – IIW-1620-03 (ex-doc. X-1525-03 X/XIII/XV-RSDP-86-03) – (No. 5/6, May/June).
- Tsushima K., Kutsuna M., Kitamura S., Shibata K., Sakamoto H. (Japan) – Improvement of the joint performance in laser welding of aluminium alloys – IIW-1603-03 (ex-doc. IV-836-03) – (No. 1/2, January/February).
- Uran M., Rihar G. (Slovenia) – Lack of fusion – Characterisation of indications – IIW-1698-05 (ex-doc. V-1285-04) – (No. 1/2, January/February).
- Vaidya W.V., Angamuthu K., Koçak M., Grube R., Hackius J. (Germany) – Strength and fatigue resistance of laser-MIG hybrid butt welds of an airframe aluminium alloy AA6013 – IIW-1763-06 (ex-doc. IX-2222-06/IX-NF-11-06) – (No. 11/12, November/December).
- van Haver W., Stassart X., Verwimp J., de Meester B., Dhooge A. (Belgium) – Friction stir welding and hybrid laser welding applied to 6056 alloy – IIW-1761-06 (ex-doc. IX-2209-06/IX-NF-10-06) – (No. 11/12, November/December).
- Verwimp J., de Meester B., Dhooge A., van Haver W., Stassart X. (Belgium) – Friction stir welding and hybrid laser welding applied to 6056 alloy – IIW-1761-06 (ex-doc. IX-2209-06/IX-NF-10-06) – (No. 11/12, November/December).
- Vilaça P., Pépe N., Quintino L. (Portugal) – Metallurgical and corrosion features of friction stir welding of AA5083-H111 – IIW-1746-06 (ex-doc. IX-2148-05) – (No. 9/10, September/October).
- Wang D., Zhang Y., Huo L., Zhang Z. (China) – Preliminary study of improvement of fatigue properties of welded joints by plasma spray process – IIW-1736-06 (ex-doc. XIII-2048-05) – (No. 7/8, July/August).
- Weber G., Göklü S. (Germany) – Resistance spot welding of uncoated and zinc coated Advanced High-Strength Steels (AHSS) – Weldability and process reliability-influence of welding parameters – IIW-1722-05 (ex-doc. III-1347-05) – (No. 3/4, March/April).
- Wissling M. (Germany) – Calculation methods of adhesive bonded hybrid beams in the civil engineering field – IIW-1715-05 (ex-doc. XVI-840-05) – (No. 3/4, March/April).
- Woerner W., Short A., Ferguson W.G. (New Zealand) – Seismic performance of fillet welds in moment resisting connections – IIW-1726-05 (ex-doc. XV-1192-05) – (No. 5/6, May/June).
- Yamaoka H., Morita I., Owaki K. (Japan), Kim C.C. (United States) – Study of underwater laser welding repair technology – IIW-1625-03 (ex-doc. IV-846-03/XI-782-03) – (No. 7/8, July/August).
- Yamasaki H., Okano S., Toyoda M., Mochizuki M. (Japan) – Distortion behaviour of fillet T-joint during in-process control welding by additional cooling – IIW-1620-03 (ex-doc. X-1525-03 X/XIII/XV-RSDP-86-03) – (No. 5/6, May/June).
- Yasuda H., Ikeuchi K., Takahashi M. (Japan) – Effect of reverse voltage on metal/glass anodically-bonded interface – IIW-1714-05 (ex-doc. I-1148-04) – (No. 1/2, January/February).
- Zettler R., dos Santos J.F. (Germany), Potomati F., de Alcantara N.G. (Brazil) – Temperature evolution and mechanical properties of dissimilar friction stir weldments when joining AA2024 and AA7075 with an AA6056 alloy – IIW-1765-06 (ex-doc. IX-2211-06/IX-NF-08-06) – (No. 11/12, November/December).
- Zhang W. (Denmark) – Recent advances and improvements in the simulation of resistance welding processes – IIW-1721-05 (ex-doc. III-1345-05) – (No. 3/4, March/April).
- Zhang W. (United States) – Numerical modelling of heat transfer, fluid flow and microstructural evolution during fusion welding of alloys – 2006 Henry Granjon Prize, Category A – IIW-1748-06 (ex-doc. XII-1890-06) – (No. 9/10, September/October).
- Zhang Y., Huo L., Zhang Z., Wang D. (China) – Preliminary study of improvement of fatigue properties of welded joints by plasma spray process – IIW-1736-06 (ex-doc. XIII-2048-05) – (No. 7/8, July/August).
- Zhang Z., Wang D., Zhang Y., Huo L. (China) – Preliminary study of improvement of fatigue properties of welded joints by plasma spray process – IIW-1736-06 (ex-doc. XIII-2048-05) – (No. 7/8, July/August).